


In the Claims

Applicant presents a full set of claims showing markups of the claims with insertions and deletions indicated by underlining and strikethrough text (or double bracketing), respectively.

1-13. (Cancelled)

14. (Currently amended) A method for treating a mood disorder in a human patient, which comprises administering to a patient in need thereof a therapeutically effective amount of at least one compound of the general formula 1 ~~Formula 1 as defined in claim 1 or a pharmaceutical composition according to claim 1~~

Formula 1



where:

R¹ is OH;

R² is H or COOH;

R³ is C₁-C₈ alkyl group;

and R⁴ is H.

15. (Previously presented) The method according to claim 14 wherein the mood disorder is morbid or clinical depression, unipolar mood disorder, bipolar mood disorder, syndromal depression, panic disorder or anxiety.

16.-17. (Cancelled)

18. (Previously presented) The method according to claim 14 wherein the compound of formula 1 is present in an extract of at least one cannabis plant.
19. (Previously presented) The method according to claim 14, wherein the compound or the composition is administered nasally, sublingually, buccally, topically, orally, rectally, intravenously, intra-peritoneally, intra-muscularly, subcutaneously, transdermally, intra-vaginally, intra-urethrally, by nebuliser, as inhaled vapour or by installation directly into the bladder.
20. (New) The method according to claim 14, wherein R³ is a C1-C5 alkyl group.
21. (New) The method according to claim 14, wherein R³ is a C3-C5 alkyl group.
22. (New) The method according to claim 14, wherein R³ is a straight chain alkyl group.
23. (New) The method according to claim 14, wherein R³ is C₅H₁₁.
24. (New) The method according to claim 14, wherein R³ is C₃H₇.
25. (New) The method according to claim 18, wherein the extract comprises substantially all the naturally occurring cannabinoids in said at least one cannabis plant.
26. (New) The method according to claim 18, wherein the extract is enriched for cannabichromene.
27. (New) The method according to claim 14, wherein the compound is administered in an isolated and substantially pure form.

28. (New) The method according to claim 14, wherein the compound is administered together with one or more pharmaceutically acceptable diluents, excipients or carriers.